

## SPECIFICATION FOR DRIZIT® OIL SPILL KIT 660

0174/9

660 litres

Blue

86.7 kg

557 - 658 litres

127 x 78 x 125 cm

	Container Size
	Container Volume
	Container Colour
	Pack Wt (gross)
	Sorbency

Sorbency: Lower figure test method to BS 7959-1:2004 using SAE10W40 motor oil. Higher figure based on high viscosity liquid with no drain

Container:	Heavy duty, UV stabilised highly visible, water proof container with four wheels. Fully opening lid allows for ease of access to contents.	
Contents:	100 Oil Pads	
	12 Oil Socks 125 x 7.5 cm	
	2 Oil Booms 400 x 20 cm	
	12 Oil Cushions	
	1 Oil Loose 4kg	
	1 Dammit <sup>®</sup> X Mat 65 x 45 cm	
	1 Dammit <sup>®</sup> X Ready Mix 800g	
	2 Wooden Stakes	
	1 Personal Safety Kit	
	12 Disposal bags and ties	
Replenishment:	A full refill kit is available for this product. Please use code 0174/9/R.	
	To order further kits, refill sets or packs of individual items please contact us.	
Instructions for use:	It is important that a suitable and sufficient Risk Assessment is carried out on each incident and correct PPE is worn.	
	Depending on the nature of the spill a combination of the contents of the kit may be used.	
Compatibility:	The absorbents within this kit may be safely used with all liquids immiscible with water, such as hydrocarbons, solvents, mineral oils.	
	Water-repellency exceeds requirements of BS 7959-2:2000.	
	Before any use in a spill situation a proper risk assessment should be carried out and all hazardous properties of the liquid or dangerous reactions taken into account.	
Disposal:	Used sorbents may be disposed of by landfill or incineration, in accordance with local and national regulations, taking into account the classification of the liquid absorbed.	

Revision Date: 06/11/2018





## **N** Product Focus



Safety Data: Further technical advice is available if required.

**Note:** All weights, dimensions, and other figures quoted are approximate.

Revision Date: 06/11/2018



